




2 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.



4 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.



6 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.



8 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.



2 Gold-Plated RCA Jacks with Rear-Mounted Coaxial Jacks. Will install in standard "J" box.



2 Gold-Plated RCA Jacks with Rear-Mounted RCA Jacks. Will install in standard "J" box.



3 Gold-Plated RCA Jacks with Rear-Mounted Coaxial Jacks. Will install in standard "J" box.



1 RJ-11 Jack. Will install in standard "J" box. Includes PA-9 Decals for identifying port assignments.



2 RJ-11 Jacks. Will install in standard "J" box. Includes PA-9 Decals for identifying port assignments.



1 RJ-11 Jack & 1 Coaxial Jack. Includes PA-9 Decals for identifying port assignments.



2 RJ-11 Jacks & 1 Coaxial Jack. Includes PA-9 Decals for identifying port assignments.



1 RJ-11 Jacks & 2 Coaxial Jacks. Includes PA-9 Decals for identifying port assignments.



2 RJ-11 Jacks & 2 Coaxial Jacks. Includes PA-9 Decals for identifying port assignments.




1 RJ-45 Jack. Includes PA-9 Decals for identifying ports assignments.



2 RJ-45 Jacks. Includes PA-9 Decals for identifying ports assignments.



1 RJ-45 Jack & 1 Coaxial Jack. Includes PA-9 Decals for identifying ports assignments.



2 RJ-45 Jacks & 1 Coaxial Jack. Includes PA-9 Decals for identifying ports.



1 RJ-45 Jack & 2 Coaxial Jacks. Includes PA-9 Decals for identifying port assignments.



2 RJ-45 Jacks & 2 Coaxial Jacks. Includes PA-9 Decals for identifying ports.



1 RJ-45 Jack & 1 RJ-11 Jack. Includes PA-9 Decals for identifying port assignments.



IWM-2BPG
2 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.

IWM-4BPG
4 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.

IWM-6BPG
6 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.

IWM-8BPG
8 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.

IWM-2RG
2 Gold-Plated RCA Jacks with Rear-Mounted Coaxial Jacks. Will install in standard "J" box.

IWM-2RGRG
2 Gold-Plated RCA Jacks with Rear-Mounted RCA Jacks. Will install in standard "J" box.

IWM-3RG
3 Gold-Plated RCA Jacks with Rear-Mounted Coaxial Jacks. Will install in standard "J" box.



IW-1RJG
1 RJ-11 Jack. Will install in standard "J" box. Includes PA-9 Decals for identifying port assignments.


IW-2RJG
2 RJ-11 Jacks. Will install in standard "J" box. Includes PA-9 Decals for identifying port assignments.

IW-1F1RJG
1 RJ-11 Jack & 1 Coaxial Jack. Includes PA-9 Decals for identifying port assignments.

IW-1F2RJG
2 RJ-11 Jacks & 1 Coaxial Jack. Includes PA-9 Decals for identifying port assignments.

IW-2F1RJG
1 RJ-11 Jacks & 2 Coaxial Jacks. Includes PA-9 Decals for identifying port assignments.

IW-2F2RJG
2 RJ-11 Jacks & 2 Coaxial Jacks. Includes PA-9 Decals for identifying port assignments.



IW-1RJ45G
1 RJ-45 Jack. Includes PA-9 Decals for identifying ports assignments.

IW-2RJ45G
2 RJ-45 Jacks. Includes PA-9 Decals for identifying ports assignments.

IW-1F1RJ45G
1 RJ-45 Jack & 1 Coaxial Jack. Includes PA-9 Decals for identifying ports assignments.

IW-1F2RJ45G
2 RJ-45 Jacks & 1 Coaxial Jack. Includes PA-9 Decals for identifying ports.

IW-2F1RJ45G
1 RJ-45 Jack & 2 Coaxial Jacks. Includes PA-9 Decals for identifying port assignments.


IW-2F2RJ45G
2 RJ-45 Jacks & 2 Coaxial Jacks. Includes PA-9 Decals for identifying ports.

IW-2RJ1145G
1 RJ-45 Jack & 1 RJ-11 Jack. Includes PA-9 Decals for identifying port assignments.




IW-2BG

2 Gold-Plated Banana Jacks accept single Banana Plugs or Dual Banana Plugs.



IW-4BG

4 Gold-Plated Banana Jacks accept single Banana Plugs or Dual Banana Plugs.



IW-8BG

8 Gold-Plated Banana Jacks accept single Banana Plugs or Dual Banana Plugs.



IW-2BPG

2 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.



IW-4BPG

4 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.




IW-8BPG

8 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.




IW-1RG

1 Gold-Plated RCA Jack. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



IW-2RG

2 Gold-Plated RCA Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



IW-3RG

3 Gold-Plated RCA Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



IW-4RG

4 Gold-Plated RCA Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



IW-2R1FG

2 Gold-Plated RCA Jacks and 1 Coaxial Jack with threaded front & back. Will install in standard "J" box.




IW-3R1FG

3 Gold-Plated RCA Jacks and 1 Coaxial Jack with threaded front & back. Will install in standard "J" box.



IW-1FG

1 Gold-Plated Coaxial Jack. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



IW-2FG

2 Gold-Plated Coaxial Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



IW-3FG

3 Gold-Plated Coaxial Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



IW-4FG

4 Gold-Plated Coaxial Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.

LL-SO - Large Lid Storage Organizer



Carrying Case designed for modular wall plate components and other accessories. Multi-compartment with dual chambers. Plates fit in lower chamber while modular connectors fit in upper chamber.



I
W
-
2
B
G

2 Gold-Plated Banana Jacks accept single Banana Plugs or Dual Banana Plugs.



I
W
-
4
B
G

4 Gold-Plated Banana Jacks accept single Banana Plugs or Dual Banana Plugs.



I
W
-
8
B
G

8 Gold-Plated Banana Jacks accept single Banana Plugs or Dual Banana Plugs.



I
W
-
2
B
P
G

2 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pinas, or Bare Wires.




I
W
-
4
B
P
G

4 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.




I
W
-
8
B
P
G

8 Gold-Plated 5-way Binding Posts accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.




I
W
-
1
R
G

1 Gold-Plated RCA Jack. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



I
W
-
2
R
G

2 Gold-Plated RCA Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



I
W
-
3
R
G

3 Gold-Plated RCA Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



I
W
-
4
R
G

4 Gold-Plated RCA Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



I
W
-
2
R
1
F
G

2 Gold-Plated RCA Jacks and 1 Coaxial Jack with threaded front & back. Will install in standard "J" box.



I
W
-
3
R
1
F
G

3 Gold-Plated RCA Jacks and 1 Coaxial Jack with threaded front & back. Will install in standard "J" box.




I
W
-
1
F
G

1 Gold-Plated Coaxial Jack. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



I
W
-
2
F
G

2 Gold-Plated Coaxial Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



I
W
-
3
F
G

3 Gold-Plated Coaxial Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



I
W
-
4
F
G

4 Gold-Plated Coaxial Jacks. Will install in standard "J" box. Wiring should be RG-59U or similar shielded coax.



MP-8 - Media Panel

The MP-8 In-Wall Media Panel adds flexibility and ease of installation to any media system job. Requiring only an 8" x 11 3/4" opening, the MP-8 mounts with just 4 screws using our 6-1/2" speaker frame and steel clamp ring (all included).

w
i
a
bn
g
bk

IWM-BP



Blank Plate, Decorator Style Premium Steel Plate.

w
i
a
bn
g
bk

IWM-1P



1 Space for a 5-way Binding Post, RCA, Coaxial, Mini, or BNC Modular Connector. Decorator Style Plate.

w
i
a
bn
g
bk

IWM-2P



2 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC Modular Connectors. Decorator Style Plate.

w
i
a
bn
g
bk

IWM-3P



3 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC Modular Connectors. Decorator Style Plate.

w
i
a
bn
g
bk

IWM-4P



4 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC Modular Connectors. Decorator Style Plate.

w
i
a
bn
g
bk

IWM-6P



6 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC Modular Connectors. Decorator Style Plate.

w
i
a
bn
g
bk

IWM-8P



8 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC Modular Connectors. Decorator Style Plate.

w
i
a

IWM-1RJ



1 Space for RJ-11 or RJ-45 Modular Connector. Decorator Style Premium Steel Plate.

w
i
a

IWM-2RJ



2 Spaces for RJ-11 or RJ-45 Modular Connectors. Decorator Style Premium Steel Plate.

w
i
a

IWM-1P1RJ



1 Space for 5-way Binding Post, RCA, Coaxial, Mini, or BNC & 1 Space for RJ-11 or RJ-45 Modular Connectors.

w
i
a

IWM-2P1RJ



2 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC & 1 Space for RJ-11 or RJ-45 Modular Connectors.

w
i
a

IWM-1P2RJ



1 Space for 5-way Binding Post, RCA, Coaxial, Mini, or BNC & 2 Spaces for RJ-11 or RJ-45 Modular Connectors.

w
i
a

IWM-2P2RJ



2 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC & 2 Spaces for RJ-11 or RJ-45 Modular Connectors.

w

IWM-4P1RJ



4 Spaces for 5-way Binding Post, RCA, Coaxial, Mini, or BNC & 1 Space for RJ-11 or RJ-45 Modular Connectors.

w

IWM-D2



2 Spaces for D Series Accessories / Devices. Decorator Style Premium Steel Plate.

Insulators



INS-R
Right Front



INS-GR
Center Front



INS-BL
Surround Left



INS-G
Surround Right



INS-P
Subwoofer



INS-BR
Surround Left Rear



INS-T
Surround Right Rear



INS-O
Digital



INS-Y
Composite Video



INS-W
Left Front



INS-I
(Ivory)



INS-A
(Almond)



INS-B
Common




INS-C
Common



INS-D
Common

X-RGRG



Gold-Plated Connectors with RCA Front and RCA Back.

X-RGS



Gold-Plated Connectors with RCA Front and Solder Back.

X-3C




Gold-Plated Connectors with Mini Headphone (1/8") Front and Solder Back.

X-BPG



Gold-Plated Connectors with 5-Way Binding Post Front and Back. Accept Banana Plugs, Dual Banana Plugs, Spade Lugs, Pins, or Bare Wires.

X-FG



Gold-Plated Connector with Coaxial Front and Back.

X-RG



Gold-Plated Connectors with Coaxial Front and RCA Back.

X-BNCRG




Gold-Plated Connectors with BNC Front with RCA Back.

X-BNCS



Gold-Plated Connectors with BNC Front with Solder Back.

X-RJ11



Snap in RJ-11 Punch Down Style. PA-9 Colored Decals included for Port Assignment.

X-RJ45



Snap in RJ-45 Punch Down Style. PA-9 Colored Decals included for Port Assignment.